



Unique, Long-Lasting Design

Selectable Power & CCT

3500K / 4000K / 5000K

100-277V or 100-347V

FPH3-Series LED Flat Panels Hybrid



The FPH3-Series Hybrid LED Flat Panel ceiling light is a high performance LED panel that uses a unique back-lit design to provide a longer lasting lighting solution.

With a flicker-free, fully dimmable design that requires no warm-up, they produce very little heat and are the perfect replacement for traditional fluorescent lighting or low-end edge-lit flat panels found in offices, hospitals, schools and more.

Key Features & Benefits

- Back-lit design requires no light guide plate
- Lightweight design for quicker installs
- High-strength design resists bowing when hung
- Large junction box for quick and easy daisy chain connections
- Field Selectable Power and CCT models available
- Post-painted white frame
- Designed to fit directly into existing suspended T-bar ceilings
- Low profile: will fit into any plenum space
- Versatile installation options including aircraft cables, surface mount kits, and drywall mounting kits (optional accessories)
- Emergency battery models available

WHY CHOOSE THIS FIXTURE?

FIELD-SELECTABLE POWER & CCT

More flexibility to stock less SKUs with field-selectable Power and CCT models

EMERGENCY BATTERY

Integrated emergency battery out of the box (-EB models)

LARGER JUNCTION BOX

A large 6" x 4" junction box leaves more room for connections and makes it easy to install



SLIM PROFILE

Fits into any plenum space

NO LIGHT GUIDE PLATE

Eliminates the potential of yellowing

WHITE POST-PAINTED FRAMES


Matches with any decor right out of the box

MULTIPLE MOUNTING OPTIONS


Ready to install into existing T-bars out of the box; or add accessories for additional mounting flexibility



Aircraft Cable Kit



Drywall Mount Kit



Surface Mount Kit

Available Models (100-277)

MODEL#	SIZE	VOLTAGE	WATTAGE	LUMENS	EFFICACY	CCT
FPH3-1440S40-1	1 x 4	100-277V	40W	4,400 lm	110 lm/W	4000K
FPH3-1440GPS-1	1 x 4	100-277V	40W / 35W / 30W	5,000 lm / 4,375 lm / 3,750 lm	125 lm/W	3500K / 4000K / 5000K
FPH3-2230S40-1	2 x 2	100-277V	30W	3,300 lm	110 lm/W	4000K
FPH3-2240GS35-1	2 x 2	100-277V	40W / 35W / 30W	4,400 lm / 3,850 lm / 3,300 lm	110 lm/W	3500K
FPH3-2240GS40-1	2 x 2	100-277V	40W / 35W / 30W	4,400 lm / 3,850 lm / 3,300 lm	110 lm/W	4000K
FPH3-2240GS50-1	2 x 2	100-277V	40W / 35W / 30W	4,400 lm / 3,850 lm / 3,300 lm	110 lm/W	5000K
FPH3-2240GPS-1	2 x 2	100-277V	40W / 35W / 30W	5,000 lm / 4,375 lm / 3,750 lm	125 lm/W	3500K / 4000K / 5000K
FPH3-2440S40-1	2 x 4	100-277V	40W	4,400 lm	110 lm/W	4000K
FPH3-2450GS35-1	2 x 4	100-277V	50W / 40W / 30W	6,250 lm / 5,000 lm / 3,750 lm	125 lm/W	3500K
FPH3-2450GS40-1	2 x 4	100-277V	50W / 40W / 30W	6,250 lm / 5,000 lm / 3,750 lm	125 lm/W	4000K
FPH3-2450GS50-1	2 x 4	100-277V	50W / 40W / 30W	6,250 lm / 5,000 lm / 3,750 lm	125 lm/W	5000K
FPH3-2450GP35-1	2 x 4	100-277V	50W / 40W / 30W	6,250 lm / 5,000 lm / 3,750 lm	125 lm/W	3500K
FPH3-2450GP40-1	2 x 4	100-277V	50W / 40W / 30W	6,250 lm / 5,000 lm / 3,750 lm	125 lm/W	4000K
FPH3-2450GP50-1	2 x 4	100-277V	50W / 40W / 30W	6,250 lm / 5,000 lm / 3,750 lm	125 lm/W	5000K
FPH3-2450GPS-1	2 x 4	100-277V	50W / 40W / 30W	6,250 lm / 5,000 lm / 3,750 lm	125 lm/W	3500K / 4000K / 5000K

Available Models (100-347)

MODEL#	SIZE	VOLTAGE	WATTAGE	LUMENS	EFFICACY	CCT
FPH3-1440S40-3	1 x 4	100-347V	40W	4,400 lm	110 lm/W	4000K
FPH3-1440GPS-3	1 x 4	100-347V	40W / 35W / 30W	5,000 lm / 4,375 lm / 3,750 lm	125 lm/W	3500K / 4000K / 5000K
FPH3-2230S40-3	2 x 2	100-347V	30W	3,300 lm	110 lm/W	4000K
FPH3-2240GPS-3	2 x 2	100-347V	40W / 35W / 30W	5,000 lm / 4,375 lm / 3,750 lm	125 lm/W	3500K / 4000K / 5000K
FPH3-2440S40-3	2 x 4	100-347V	40W	4,400 lm	110 lm/W	4000K
FPH3-2450GPS-3	2 x 4	100-347V	50W / 40W / 30W	6,250 lm / 5,000 lm / 3,750 lm	125 lm/W	3500K / 4000K / 5000K

Available Models (with Backup Battery)

MODEL#	SIZE	VOLTAGE	WATTAGE	LUMENS	EFFICACY	CCT
FPH3-1440GPS-1-EB	1 x 4	100-277V	40W / 35W / 30W	5,000 lm / 4,375 lm / 3,750 lm	125 lm/W	3500K / 4000K / 5000K
FPH3-2240GPS-1-EB	2 x 2	100-277V	40W / 35W / 30W	5,000 lm / 4,375 lm / 3,750 lm	125 lm/W	3500K / 4000K / 5000K
FPH3-2450GPS-1-EB	2 x 4	100-277V	50W / 40W / 30W	6,250 lm / 5,000 lm / 3,750 lm	125 lm/W	3500K / 4000K / 5000K

Optional Accessories

FPH-ACK11	Aircraft Cable for 1x4 and 2x2 Flat Panels
FPH-ACK21	Aircraft Cable for 2x4 Flat Panels
FPH-14DMK	Drywall Mount Kit for 1x4 Flat Panels
FPH-22DMK	Drywall Mount Kit for 1x4 Flat Panels
FPH-24DMK	Drywall Mount Kit for 1x4 Flat Panels
FPH-14SMK1	Surface Mount Kit for 1x4 Flat Panels
FPH-22SMK1	Surface Mount Kit for 2x2 Flat Panels
FPH-24SMK1	Surface Mount Kit for 2x4 Flat Panels
FHUPS1-UNV-25L-SD	Fulham Emergency Battery, Field Mount, 25W, 100-277V