



## DRTR Downlight Rotatable Retrofit

### FEATURES

- Ideal for accent, display, or wall washing
- 90° ±10 Beam angle
- Rotatable: 360°; Tilt: 40° (4"), 45° (6")
- Integrated white trim with medium base (E26) socket adapters (included) for direct replacement
- Fits many popular 4" and 6" recessed downlight fixtures
- FieldCCeT feature (select models) allows for multiple "set and forget" CCT options in each fixture
- Instant-on, no warm-up time

### CERTIFICATIONS

- UL Listed for damp locations

### PERFORMANCE

- Rated lifetime:  
L70: >35,000 hours
- FieldCCeT: 27/30/35/40/5000K CCT
- CRI: >80

### ELECTRICAL

- Input voltage: 120V
- Dimming: Triac
- Power Factor: >0.9

### THERMAL

- 4°F to 104°F (-20°C to 40°C) operating temperature

### CONSTRUCTION

- White finish with a frosted lens for diffused lighting

### APPLICATIONS

- Admin/Class/Conference/Meeting Rooms/Libraries
- Multi-Residential (Dorms/Apts)
- Reception/Lobby
- Dr. Offices/Waiting/Patient Rooms
- Retail/Storefront

### WARRANTY

- 5-Year limited warranty available [online](#). Contact your EiKO sales rep for additional details.

|                |         |
|----------------|---------|
| project name   | type    |
| catalog number | voltage |
| approved by    | date    |



DRTR4-10W-8FCCT-D-WH



DRTR6-11W-8FCCT-D-WH




| MODEL CONFIGURATOR                  |        |   |                   |   |         |                          |   |                     |   |            |
|-------------------------------------|--------|---|-------------------|---|---------|--------------------------|---|---------------------|---|------------|
| MODEL                               | SIZE   | - | WATTAGE           | - | CRI     | FIELDCCET                | - | DIMMING             | - | COLOR      |
| DRTR : Downlight Rotatable Retrofit | 4 - 4" | - | 10W - 10W; 820 lm | - | 8 - 80+ | FCCT - 27/30/35/40/5000K | - | D - Dimming (Triac) | - | WH - White |
|                                     | 6 - 6" | - | 11W - 11W; 910 lm | - |         |                          | - |                     | - |            |


### AVAILABLE MODELS

| ORDER | ORDER CODE | ITEM #               | SIZE | WATTS (W) | LUMENS (LM) | LPW | CCT (K)           | DIMMING | VOLTAGE (VAC) | ENERGY STAR |
|-------|------------|----------------------|------|-----------|-------------|-----|-------------------|---------|---------------|-------------|
|       | 15708      | DRTR4-10W-8FCCT-D-WH | 4"   | 10        | 820         | 82  | 27/30/35/40/5000K | Triac   | 120           | ★           |
|       | 15709      | DRTR6-11W-8FCCT-D-WH | 6"   | 11        | 910         | 83  | 27/30/35/40/5000K | Triac   | 120           | ★           |

PRODUCT DIMENSIONS




DRTR4-10W-8FCCT-D-WH




DRTR6-11W-8FCCT-D-WH

PHOTOMETRICS



DRTR4-10W-8FCCT-D-WH



DRTR6-11W-8FCCT-D-WH

COMPATIBLE DIMMERS

| MANUFACTURER | MODEL          |
|--------------|----------------|
| Eaton        | AAL06-C1       |
| Eaton        | SAL06P3        |
| Legrand      | RHCL453PW      |
| Leviton      | 6672           |
| Leviton      | 6674           |
| Leviton      | 6674-10W       |
| Leviton      | DDE06-BLZ      |
| Leviton      | DDL06-001-1LZ  |
| Leviton      | DDL06-010-BLZ  |
| Leviton      | DDMX1-011-BLZ  |
| Leviton      | DSE06-001-10Z  |
| Leviton      | DSL06-001-1LZ  |
| Leviton      | DW6HD-1BZ      |
| Leviton      | IPL06          |
| Leviton      | IPL06-011-10Z  |
| Leviton      | RDL06-001-10Z  |
| Leviton      | TSM10-012-1LW  |
| Lutron       | CTCL-153PDH-WH |
| Lutron       | DVCL-153PR-WH  |
| Lutron       | DVCL-153P-WH   |
| Lutron       | DVELV-300P-WH  |
| Lutron       | MACL-153MH-WH  |
| Lutron       | MACL-153M-WH   |
| Lutron       | NLV-1000-LA    |
| Lutron       | PD-6WCL-WH-P   |
| Lutron       | P-PKG1W-WH     |
| Lutron       | P-PKG1W-WH-R   |
| Lutron       | RRD-6CL-WH     |
| Lutron       | SLV-600P-WH    |
| Lutron       | TGCL-153P-WH   |
| TP Link      | HS220          |
| Wemo         | F7C059         |